

C++ ARRAYS AND POINTERS

Problem Solving with Computers-I

C++

```
#include <iostream>
using namespace std;

int main(){
    cout<<"Hola Facebook\n";
    return 0;
}
```

GitHub



C++ Arrays

- **List of elements**
- All elements have the same data type
- The elements are located adjacent to each other in memory
- Like all variables in C++, you must declare an array before using it

0x8000



Scores is the address of element #0

```
cout << scores ; // 0x8000
```


0x8000 is also called the base address

Accessing elements of an array

```
int scores[]={20,10,50}; // declare and initialize
```

- **scores** is the starting memory location of the array
 - also called the base address
 - Base address (**scores**) cannot be modified
- Access array elements using their index
- Indices start at 0
 - **scores[0]: 20**
 - **scores[1]: 10**
 - **scores[2]: 50**
 - **scores[3]: out of bound array access, undefined behavior**

Iterating through an array



```
int scores[]={20,10,50}; // declare and initialize
```

To iterate use:

- * regular for loops
- * Or range based for loop (C++ 11 feature)

Modifying the array

What is the output of this code?

```
int scores[]={20,10,50};  
scores = scores + 10;  
for(int i=0; i<3; i++){  
    cout<<scores[i]<<"\t";  
}
```

A. 30 20 60

B. 20 10 50

C. Compiler error

Cannot modify the base
address of an array (scores)

Tracing code involving arrays



```
int arr[]={10,20,30};  
int tmp = arr[0];  
arr[0] = arr[2];  
arr[2] = tmp;
```

Swaps element 0 & 2
of the array

Choose the resulting array after the code is executed

A.

10	20	30
----	----	----

arr 0 1 2

B.

20	10	30
----	----	----

arr 0 1 2

C.

30	20	10
----	----	----

arr 0 1 2

D. None of the above

Most common array pitfall- out of bound access



scores[0] scores[1] scores[2]

```
int scores[]={20,10,50}; // declare and initialize
```

```
for(int i=0; i<=3; i++)  
    scores[i] = scores[i]+10;
```

index 3 is out of bound

scores[3] is an out-of bound array access

- Can lead to undefined behavior*
- Program may crash or you may corrupt other data*

Passing arrays to functions

scores

10	20	30	40	50
----	----	----	----	----

0x2000

```
int main(){
    int scores[]={10, 20, 30, 40, 50};
    foo(scores);
}
double foo(int sc[]){
    cout<<sc;
    return
}
```

Just a simple
pointer
(posing as an array)

What is the output?

- A. 10
- B. 10 20 30 40 50
- C. 0x2000
- D. None of the above

char arrays, C-strings

- How are ordinary arrays of characters and C-strings similar and how are they dissimilar?

What is the output of the code?


```
char s1[] = "Mark";  
char s2[] = "Jill";  
for (int i = 0; i <= 4; i++)  
    s2[i] = s1[i];  
if (s1 == s2) s1 = "Art";  
cout<<s1<<" "<<s2<<endl;
```

← can't modify the base address of an array

- A. Mark Jill
- B. Mark Mark
- C. Art Mark
- ☒ D. Compiler error
- E. Run-time error

Pointers and references: Draw the diagram for this code

```
int a = 5;  
int &b = a;  
int *pt1 = &a;
```



Three ways to change a:

① a = 10;

② b = 10;

③ *pt1 = 10;

What are three ways
to change the value of
'a' to 42?

Arrays and pointers

	100	104	108	112	116
ar	20	30	50	80	90

- `ar` is like a pointer to the first element
- `ar[0]` is the same as `*ar`
- `ar[2]` is the same as `*(ar+2)`
- Use pointers to pass arrays in functions
- Use *pointer arithmetic* to access arrays more conveniently

Pointer Arithmetic

```
int ar[]={20, 30, 50, 80, 90};  
int *p;  
p = arr;  
p = p + 1;  
*p = *p + 1;
```

Draw the array ar after the above code is executed

Pointer Arithmetic

```
int ar[]={20, 30, 50, 80, 90};
```


How many of the following are invalid?

- I. pointer + integer (ptr+1)
- II. integer + pointer (1+ptr)
- III. pointer + pointer (ptr + ptr)
- IV. pointer – integer (ptr – 1)
- V. integer – pointer (1 – ptr)
- VI. pointer – pointer (ptr – ptr)
- VII. compare pointer to pointer (ptr == ptr)
- VIII. compare pointer to integer (1 == ptr)
- IX. compare pointer to 0 (ptr == 0)
- X. compare pointer to NULL (ptr == NULL)

<u>#invalid</u>	
A:	1
B:	2
C:	3
D:	4
E:	5

```
void IncrementPtr(int *p){  
    p++;  
}
```

```
int arr[3] = {50, 60, 70};  
int *q = arr;  
IncrementPtr(q);
```



Which of the following is true after **IncrementPtr (q)** is called in the above code:


- A. 'q' points to the next element in the array with value 60
- B. 'q' points to the first element in the array with value 50

How should we implement `IncrementPtr()`, so that 'q' points to 60 when the following code executes?

```
void IncrementPtr(int **p){  
    p++;  
}
```

```
int arr[3] = {50, 60, 70};  
int *q = arr;  
IncrementPtr(&q);
```

- A. `p = p + 1;`
- B. `&p = &p + 1;`
- C. `*p = *p + 1;`
- D. `p = &p+1;`



Pointer pitfalls

- Dereferencing a pointer that does not point to anything results in undefined behavior.
- On most occasions your program will crash
- Segmentation faults: Program crashes because code tried to access memory location that either doesn't exist or you don't have access to

Two important facts about Pointers

- 1) A pointer can only point to one type –(basic or derived) such as `int`, `char`, a `struct`, another pointer, etc
- 2) After declaring a pointer: `int *ptr;`
`ptr` doesn't actually point to anything yet.
We can either:
 - make it point to something that already exists, OR
 - allocate room in memory for something new that it will point to

Pointer Arithmetic

- What if we have an array of large structs (objects)?
 - C++ takes care of it: In reality, `ptr+1` doesn't add 1 to the memory address, but rather adds the size of the array element.
 - C++ knows the size of the thing a pointer points to – every addition or subtraction moves that many bytes: 1 byte for a char, 4 bytes for an int, etc.

Next time

- Structs
- Arrays of structs